



Wow your customers and strengthen marketing messages with Epson EB-800F/805F Full HD ultra-short throw laser projectors! Create stunning video content easily and instantly project your information wirelessly to your audience. EB-800 series projectors' laser light source allows it to be placed in any orientation, even in tight spaces, and are the ideal companion for your digital signage needs.







Multi-PC Projection















Maintenance Free



EB-800F



EB-805F













3LCD technology that delivers quality projected images and reliable performance.

Captivating Projections

Send crisp and clear messages through vivid pictures thanks to the Full HD resolution that gives clarity down to the tiniest details.

Affordable & Low Maintenance

Total peace-of-mind with 20,000 hours of maintenance-free projections thanks to the laser light source.

Flexible Placement

Designed especially to fit tight retail spaces, the projector can rotate 360° without compromising image brightness and clearness.

¹ Pixel shifting technology achieves Full HD resolution on science.
2 Color brightness color light output) in brightness mode, measured by a shird-party lab in accordance with IDMS 16.4. Color brightness will vary depending on usage conditions. Top-setting Epson SLCD projectors versus top-setting 1-onlp DLP® projectors based on NPD sales data for May 2017. April 2016.

MAGNIFY YOUR SPACE WITH VIVID FULL HD PROJECTIONS

REMARKABLE IMAGE QUALITY

With an optimum brightness of 5,000 lumens and dynamic contrast of over 2,5000,000:1, be assured that your images will be vivid and attention-grabbing even under a variety of ambient lightings. The ultra-short-throw laser projector is able to project beautiful and sharp images even in the tightest retail spaces up to a maximum of 130-inch.

MULTI-DIRECTIONAL PROJECTION

Thanks to its laser light source, EB-800 series projectors can rotate 360° in any direction — horizontally, vertically and rotationally — without any loss in image brightness and quality. An ideal companion to businesses that require vivid projections on a variety of surfaces such as floors and ceilings.



- · Create a welcoming storefront
- Provide a deeper story behind the products
- · Customise your brand's promotional information
- Enhance the dining experience
- · Easy updating of virtual menus

Captivate your customers with Epson EB-800 series projectors. Enhance the customer experience by creating impressive video content. Reach beyond the traditional means of information sharing through digital signage projections that can be changed according to your needs. Dazzling and engaging storefront displays create a talking point amongst your customers, achieving maximum exposure for your brand.

EPSON CONTENT MANAGER

Create eye-catching projection playlists and add your own images and videos, custom shape filters, and overlay effects with the Epson Content Manager. Playlists saved on an external storage device can be inserted directly to the projector without using any additional cable connection. Scheduling for your projections can also be done fuss-free over the app.

DO-IT-YOURSELF CONTENT

Create video and image content with Epson's intuitive mobile projection apps and Creative Projection app*. With over 40 high-quality templates to choose from, customise stunning and creative content effortlessly and project them wirelessly to capture your audience's attention.


*Creative Projection app is currently available on iOS only.



- · Display changes to match ever-changing trends
- Boost customer engagement
- · Captivate your target audience

- Enrich customers' experience with informative signage
- Create an insta-worthy atmosphere and be the next cafe to go viral

SLEEK, ADAPTIVE AND VISUALLY EXCEPTIONAL



Combining illumination with projection, the Epson EB-800F/805F projector transforms any surface into customisable digital marketing spaces, enticing your customers and strengthening your brand's messages to them. Utilise the animated displays to provide a deeper story to your audience, and ultimately enticing and convincing them to make that purchase.

HIGH CONTRAST RATIO

Come equipped with high contrast ratio, the new Epson EB-800 series projectors have an optimum brightness of 5,000 lumens, promising crisp and vivid projections that are bound to capture attention. With a dynamic contrast of over 2,500,000:1, you can be sure to wow and entice customers through the exceptional Full HD visual experience even in spaces with bright ambient lights.



Contrast Ratio
Over 2,500,000:1

WORRY-FREE PROJECTION


With multiple laser diodes to rely on, the screen won't go black even if one diode goes out. This eliminates the worry of the projector light burning out while displaying your advertisements.



The projector keeps working even when one light diode goes out.

The screen goes black when the lamp burns out.

DIY THE CUSTOMER EXPERIENCE BE ORIGINAL, BE MEMORABLE



Create memorable stories in a few simple steps and retain the top-of-mind brand awareness among your customers. Design personalised in-store messages or video content and instantly project them from your Epson EB-800F/805F projectors. Have the reins to create them from scratch, edit from existing templates or simply add in personalised messages into your content through the app.

CREATIVE PROJECTION APP

Create impressive custom content on the iPhone or iPad easily with the Epson Creative Projection* app. Beautify any space by combining your photos and videos with the app's built-in templates and stamps. With the Epson Creative Projection, you can now create original, dazzling content to enliven rooms, product displays, and spaces around you, anytime and anywhere.



How to create content using Creative Projection App:



Set up your projector.

Insert a USB memory into the projector and connect the projector to a network.



Select a template and edit your content.

Select a built-in template that fits your vision of the content you want to create. You can customize your content by adding text, stamps, and effects.



Preview content on the projector.

Connecting your iPhone or iPad and projector enables you to edit content on your iPhone or iPad while projecting a preview. You can easily connect your device by reading a QR code displayed on the projected image.



Save and playback contents.

After you finish editing your content, save the file to the USB memory that you inserted in the projector. You can play the content that you save from the projector even if you do not have your device with you.

PROJECTOR CONTENT MANAGER

The Epson Projector Content Manager software allows you to add images and movies to playlists, and save them on a USB memory device. Now, you can easily project your playlist without needing an external device. You can also use a variety of playlist control functions to schedule playlists, add effects, or do simultaneous playback.





OUTSTANDING FLEXIBILITY

360° PROJECTION

The EB-800F/805F with laser light source can be rotated 360° in any direction — horizontally, vertically and rotationally — without any loss in image brightness. This makes it ideal for a wide range of applications, such as projecting onto ceilings and floors. Furthermore, the newly supported portrait projection allows for more installation flexibilities.

DIGITAL SIGNAGE WITHOUT PC

Project contents on walls, ceilings and floors without needing to connect to a PC. Simply insert the USB stick that has your content into the projector and it is ready to be projected. Whether it is images or videos, the EB-800 series makes it easy and convenient.







QUICK START-UP TIME

Equipped with laser light technology, the EB-800 series starts up within 5 seconds, ensuring smooth and timely displays. Fast and efficient, your advertisements are always ready for display at a moment's notice. more installation flexibilities.



PERFECT FOR SMALL SPACES

With the ultra-short throw capability, it is now possible to project a large-screen within the narrow space of retail windows. You can now create captivating window displays with the help of large projections to increase the visibility of store merchandise.



ABSOLUTE PEACE-OF-MIND

EPSON PROJECTOR MANAGEMENT

With Epson's network monitoring and control software, you can see from a single PC which projectors are available and whether they are running efficiently – even across the biggest network. You can configure your projectors and access their serial numbers remotely, as well as receive instant email alerts for pre-defined critical indicators such as non-functioning devices or overheating laser diode.

Now you can send messages or announcements as JPEG files or text simultaneously to any number of projectors on a network. This makes the EB-800F/805F projector series very useful for immediate communication needs or even emergencies.



DUST RESISTANCE WITH STRONG FILTER

A revolutionary high-performance filter and an improved dustproof structure help minimise dust from entering the optical engine. Thanks to this clever dust-resistant design, it enables higher brightness that can last longer compared to conventional models. The airflow is also optimised such that the unclean air does not blow directly into the optical engine.



WEB CONTROL

By connecting your projector to a network, you can adjust your projector installation entries from a PC or smart device.

SCHEDULING FUNCTION


The EB-800 series can run programs as scheduled with a built-in clock. You can set the times for turning projectors on and off daily as necessary.



COST EFFECTIVE

Engineered with inorganic LCD panels and an inorganic phosphor wheel. The newly designed laser light source delivers 20,000 hours* of maintenance-free for the laser light source.

And with the advanced electrostatic filter having an equally long-lasting life, you enjoy peace of mind in using these highly reliable laser projectors.





VERSATILITY WITH WHITE OR BLACK FOR SPACE'S AESTHETICS

Available in white and black, the compact and sleek Epson EB-800F/805F projectors add value to your space's aesthetics. The stylish projector aims to complement your interior's style, bringing a sense of modernness into the space.






PROJECTOR WISHES COME TRUE.

EPSON 3LCD PROJECTORS

1-CHIP PROJECTORS











WHITE 3000 LUMENS <u>.</u>

COLOUR 430 LUMENS**













LIGHT

ROTATING COLOUR WHEEL









COLOUR











Find out more at www.epson.com.sg/truecolours



With 3LCD panels, every projection gives you spectacular true colours.

Leading Epson business and education projectors vs. leading 1-chip DLP* projectors, selected according to NPO data as of July 2018. Based on U.S. research conducted by Radius Research.

These urms statistic can be found at waw coloright output on.

Color brightness color light output is not project ones, measured by a third-party lab in accordance with IDMS 16.4. Color brightness will vary depending on usage condisons. Top-selling Epson SLCD projectors versus top-selling 1-chip DLP® projectors based on NPD sales data for May 2017. April 2018.

Gamus volume in brightest mode, measured by a third-party lab in SD in the Cite L*a*ro* coordinate space. Top-selling Epson SLCD projectors versus top-selling 1-chip DLP® projectors based on NPD sales data for May 2017. April 2018.

EB-800F/805F



MODEL NUMBER		EB-800F	EB-805F	and the second
SKU Number		V11H923552	V11H923652	Supplied Accessories
Projection Technology		RGB liquid crystal shutter projection system (3LCD)		Power Cable: 1.8m x 1
Specifications of	of Main Parts			Remote Control with 2xAA Battery
LCD Size		0.62" (C2Rne)		Cable cover Foot for main unit
Resolution		1080p (1388 x 768 x 2) ⁿ		- Lens cap
Projection Lens		Focus (Manual) / No Optical Zoom		
Type F-Number		1.50		 Optional Accessories
Focal Length		3.90 mm		Setting Plate: ELPMB62 Air Fitter: ELPMF56
Zoom Ratio		1 – 1.35 (Digital Zoom)		Wireless LAN unit: ELPAP11
Throw Flatio		0.27 - 0.37 (Mide to Tele)		WIGGSS DAVIGIT. LLD AFTT
Lightsource Type		Laser Diode		
Life (Normai / Extended)		20,000 / 30,000 hours		EB-800F (Colour: White)
	ojected Distance)			
Zoom: Wide		85" - 130" [39.2 - 80.3 cm] @ 16.9 / 61" - 120" [39.5 - 79.6 cm] @ 16.6		
Zoom: Tele		48" – 96" [39.2 – 80.3 cm] @ 16:9		
Standard Brightness*		80" [48.7 cm]		889 D 222 22
White Light Output (Normal / Extended)		5,000 lm / 3,500 lm		
Colour Light Output (Normal / Extended)		5,000 lm / 3,500 lm		H- 20
Contrast Ratio		Over 2,500,000:1		E
Internal Speaker(s)		1 Approximation (Control of Control of Contr		_
Sound Output	2816	8W x 8W [Stereo]		EB-805F (Colour: Black)
Geometric Corn	ection			
Vertical / Horizontal Keystone		±3° / ±3°		
Quick Corner		Yes Yes		(5.2)
Connectivity	D C + 15D-			000 B 000 10
Analog Input	D-Sub 15Pin Composite	2 RCA x 1 (Yellow)		○ ○ ○
Digital Input	HDMI	3 (HDUP2.3)		
Digital Input	HDBaseT	1 (HDCP2.3)		
Output Terminal	D-Sub 15Pin	1 (Black)		
	HDMI	1		
Audio Input	Stereo Mini Jack	3		
Audio Output	Stereo Mini Jack	Stereo Mini Jack 1		
Control I/O	RS-232C	D-Sub 8pin x 1		
USB I/O	Type A		a USB Memory, USB Document Camera)	
Network	Type B	1 (for USB Display, mouse, K/B, Control, Firmware Update, Interactive, Copy USD Settings)		_
	Wired LAN	RJ45 x 1		_
Mindon Consider	Wireless LAN	1 x USB Type A (In common with N	Aemory I/O)	
Wireless Specifi		Infrastructure IEEE 900 11h /0 4/2	Hz): 11 Mhne3 (EEE 900 11a /2 ///Hz): 5/ Mhne3	
Supported Speed For Each Mode		Infrastructure: IEEE 802.11b (2.4GHz): 11 Mbps*, IEEE 802.11g (2.4GHz): 54 Mbps*, IEEE 802.11n (2.4GHz): 72.2 Mbps*, IEEE 802.11a (5GHz): 150 Mbps*, IEEE 802.11n (5GHz): 150 Mbps*,		
		IEEE 802.11ac (5GHz): 325 Mbps ⁻²		
		Access Point (Wi-Fi Direct): IEEE 802.11g (2.4GHz): 54 Mbps ⁻² , IEEE 802.11n (2.4GHz): 72.2 Mbps ⁻² ,		
		IEEE 802.11a (5GHz): 54 Mbps ² , IEEE 802.11n (5GHz): 150 Mbps ² , IEEE 802.11ac (5GHz): 325 Mbps ² .		
Supported Mode		Infrastructure, Access Point (WI-Fi Direct)		
Wireless LAN Security		Infrastructure: OPEN, WPA2/WPA3-PSK, WPA2/WPA3-EAP		E/
		Supported EAP Type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast		©2020 Epson Singapore Pte Ltd. All Rights Reserved.
		Reproduction in part or in whole, with		 Reproduction in part or in whole, without the written
Operating Temperature		성 (TO) 사용		permission from Epson, is strictly prohibited.
(Base on low attitude)		Mutt Projection use: 0 - 40 °C <41 - 104 °F> [20% - 80% Humidity, No Condensation]		EPSON and EXCEED YOUR VISION are registered trademarks of Selko Epson Corporation.
Operating Altitude Direct Power On / Off		0 - 3,048 m <0 - 10,000 ft> (over 1,500m / 4,921 ft: with High altitude mode) Yes		All other product names and other company names
Start-Up Period		Less than 8 - 10 seconds (Epson Logo), Warm-up Period: 30 seconds		used herein are for identification purposes only and
Cool Down Peri		are the traderial have reg		 are the trademarks or registered trademarks of their respective owners.
Air Filter		models on:		Epson disclaims any and all rights in those marks.
Maintenance Cyc	de	20,000 hours*2		Projected images shown herein are simulations.
Power Supply Voltage		100 - 240 V AC ±10%, 50/60 Hz		The actual product design and contents may vary. Specifications are subject to change without notice an
Power Consumption (220 - 240V)				may vary between countries. Please check with local
Laser Diode UN (Normal / Extended)		366W / 262W		Epson offices for more information.
Standby (Network / Energy Saving)		2.0W/0.5W		 Apple, iPad and iPhone are trademarks of Apple Inc., redistered in the U.S. and other countries. App Store in
Dimension Excluding Feet (D X W X H)		376 x 458 x 209.5 mm		a service mark of Apple Inc.
Weight Fan Noise (Normal / Quiet)		Approx. 9.4 kg (Without Cable Cover) / Approx. 9.7 kg (With Cable Cover) Android is a trademark of Google Inc.		 Android is a trademark of Google Inc.
		36dB / 27dB	ending on usage conditions. Colour light output measured in accordance with IDMS 1.5	4: Dealer's Stamp
	measured in accordance with		A TO STATE AND ADDRESS OF THE ANGEL TO MAKE AND	
		sed with same ennanced mode technolog	Actual data rates, features and performance may vary depending on your computer	
	onment and other factors.	sampling of English A. a. A. A. a. a. a. a.	Based on the Engage in the State set of	
	general office environment (this nalogy achieves Full HD resalut		. Based on the Epson's In-house test results.	
Including Firmware Update and Copy OSD Settings.				
				Information correct at time of printing.

Information correct at time of printing. Printed December 2020







