

# UNIVERSAL PROJECTOR LIFT

## Scissors Lift



### V4

Max lowering : 4 meter

Dimension : 880mm (W) x 610mm (D) x 550mm (H)

Max weight capacity : 33 kgs

### V6

Max lowering : 6 meter

Dimension : 880mm (W) x 610mm (D) x 650mm (H)

Max weight capacity : 30 kgs

- With built-in wireless RF receiver, allow limit setting on ground
- EUROPE MOTOR SOMFY (FRANCE)
- 240W power consumption
- Voltage : 230 - 240v

### Optional accessories :



Somfy RTS Wall Switch



Somfy RTS Remote Control Hand Unit

Distributed by:

# UNIVERSAL PROJECTOR LIFT

## ► Cube Lift (Scissors Type)



### VS-SC 1.5 (A)

Max lowering : 1.5 meter

Dimension : 640mm (W) x 640mm (D) x 525mm (H)

Max weight capacity : 15 kgs

Max size of projector : 550mm (W) x 550mm (D) x 220mm (H)

### VS-SC 1.5 (B)

Max lowering : 1.5 meter

Dimension : 605mm (W) x 605mm (D) x 350mm (H)

Max weight capacity : 15 kgs

Max size of projector : 450mm (W) x 450mm (D) x 180mm (H)

- Power consumption 100W
- Voltage : 230 - 240v
- With built-in wireless RF receiver, allow limit setting on ground
- With Cable Management Chain
- EUROPE MOTOR SOMFY (FRANCE)

### Optional accessories :



Somfy RTS Wall Switch



Somfy RTS Remote Control Hand Unit

Distributed by:

# UNIVERSAL PROJECTOR LIFT

➤ Cube Lift



## **VS 35**

Max lowering : 350 mm

Dimension : 625mm (W) x 520mm (D) x 380mm (H)

Max weight capacity : 15 kgs

Max size of projector : 475mm (W) x 475mm (D) x 140mm (H)

Power consumption : 100w

Voltage : 230-240v

- With IR wireless remote control c/w dry contact interface
- EUROPE MOTOR SOMFY (FRANCE)

*Distributed by:*

**Vosch**  
Technology