

Team Collaboration

Team collaboration happens everywhere today. With room to grow at any time, our ideal team collaboration solutions help foster and improve team work for small, medium and large-sized conferencing. Seeing and being seen, sharing ideas, and hearing others clearly bridges the distances between physical locations – even across the world. Everyone feels more connected and involved with teams and projects when Hikvision boosts their audio & video conferencing.



Small & medium-sized conferencing

Audio and video devices: All-in-One A/V Pillar, or Sound Cube Speakerphone and Camera Bar are recommended. Enjoy 1080p or better video quality, 3- to 5-meter pick-up distance, and sound amplification.

Display devices: Interactive Flat Panel & Monitor.

Video Conference Host: 65" Interactive Flat Panel display and laptop.

Video Software: Zoom, Webex, Tencent Meeting, WeChat, DingTalk, and more.



Medium & large-sized conferencing

Audio and video devices: All-in-One A/V Pillar, or Sound Cube Speakerphone and Camera Bar are recommended. Enjoy 1080p or better video quality, 3- to 5-meter pick-up distance, and sound amplification.

Display devices: Interactive Flat Panel & Monitor.

Video Conference Host: 65" Interactive Flat Panel display and laptop.

 $\begin{tabular}{ll} \textbf{Video Software:} Zoom, Webex, Tencent Meeting, WeChat, DingTalk, and more. \\ \end{tabular}$

3 4



Small & Medium-sized

Conferencing

Portable audio and video conferencing solution

This solution includes a light-weight, portable, and all-in-one Audio/Video Pillar unit. It's great for office conference rooms or starting a remote meeting anywhere you need. With audio and video functionalities in one device, it's easy to use and great for high-quality communication.



All-in-One Pillar X12

- Compact, all in one design with integrated camera, 4 microphones, and speaker to quickly start a meeting in huddle space
- 1080p HD video imaging
- 120° Wide-angle viewing without distortion
- Easily adjust viewing angle and volume by remote control
- Easy to set up with simple cable connections
- Portable design to help you get into meetings anytime, anywhere





Small & Medium-sized

Conferencing

Ultra-HD audio and video conferencing solution

Combining our Camera Bar and Sound Cube Speakerphone, Hikvision provides an enjoyable communication experience for teams in small- to medium-sized conference rooms. Your meeting will be much more productive and interactive with ultra-HD imaging and crisp, clear audio, ensuring more interaction with virtually face-to face collaboration.



Conference Webcam UC8

- Premium 4K video imaging
- Auto focus targets objects quickly
- Easy setup with simple cable connections



Sound Cube Speakerphone S1

- Designed with microphones and speakers set at key angles
- Accurate voice reception with Al noise reduction and clear audio





Interactive Flat Panel D5B 65"





Medium & Large-sized

Conferencing

01

Smart, ultra-HD audio & video conferencing solution

Need to upgrade your conferencing equipment simply and affordably? Hikvision can help! Our world-class, All-in-One A/V Camera Bar gives you 4K UHD imaging with a wide-angle view, and clear voice pick up and playback even for large groups. The smart auto-framing and speaker tracking always puts you in the best position. It's remarkably simple to use, manage, and integrate with its sleek design.

Interactive Flat Panel D5B 75"



All-in-One Camera Bar X28

- All in one design with integrated camera, 8 microphones, and speaker to quickly start a meeting
- 4K ultra-high definition, 118° wideangle viewing without distortion
- Clear voice collection with intelligent noise reduction, loud & clear voice transmission
- Smart auto-framing and speaker tracking





HIKVISION

Medium & Large-sized

Conferencing

02

High-definition audio and video conferencing solution for businesses

One plus one is greater than two! Stay at ease and look your best in your meeting when our PTZ Camera zooms in for quick framing with clear visual details. Enjoy natural video reproduction even against strong backlighting. The Sound Cube Speakerphone ensures that everyone in the meeting will be heard clearly while filling larger rooms with rich, realistic sound. How can a business operate without it?



Conference Webcam U102

- Premium video imaging
- 5x optical zoom for clear visual details
- Rapid focus on a speaker via pre-programmed settings
- 120 dB true WDR to deliver crisp video even against strong backlighting



Sound Cube Speakerphone S1

- Designed with microphones and speakers set at key angles
- Accurate voice reception with Al noise reduction and clear audio



Interactive Flat Panel D5B 65"



Product Introduction

Sound Cube Speakerphone

Connect and collaborate easily with Hikvision's Sound Cube speakerphone for remote conferencing and enjoy natural, clear sound all around.

The Sound Cube brings your far-away team members close, anywhere in the world. Everyone's voice and ideas are important – now, they can be heard clearly and completely.



360° voice pick-up & sound amplification

Clear audio and stable sound all around

Al noise reduction

Intelligently filters out background noise







ng Keyboard tapping

Knocking on the table

Echo suppression & anti-reverberation

- Audio from the sound speaker will not be picked up by microphones
- Reducing the sound reverberation caused by hard surfaces (walls, ceilings, tables, etc.).





Howling sound

Audio feedback

Flexible connectivity options for smart devices and PCs








adapter

tooth

USB cable

Easy to adjust volume or mute mic


Controlling your meeting quickly and easily



Portable, compact and lightweight for easy travel

Controlling your meeting quickly and easily





Quickly start a meeting with Hikvision's All-in-One Pillar or All-in-One Camera Bar, and enjoy a powerful audio and video conferencing experience without hassle. With their sleek and all-in-one design, these two products are easy to use, manage and deploy, delivering brilliant imaging and high-performance audio for a more natural and productive meeting.

HIKVISION*

All-in-One Pillar

3 in 1 design

One device to start remote meeting easily









120° super wide-angle without distortion

Greater coverage with one view

Intelligent noise reduction

Filters unwanted ambient noise in the room









Plug and play

No need to install plug-ins






All-in-One Bar




Smart auto framing

All participants always remain in the center of the image, even when someone leaves or joins.



Smart speaker tracking

Automatic focus and tracking the speaker keeps the key person in the center.



15 16





HIKVISION

PTZ Camera

Our industry-leading PTZ Camera delivers sharp, brilliant video imaging with outstanding color even in strong backlighting – and it's designed to fit any professional setting. When set on a table, it fits perfectly in your meeting and quickly zooms in and out to capture any details. Attendees are naturallooking and the smart auto-tracking ensures they always remain in the best position on the screen.

5x Optical zoom

See clearly, near & far. Zoom in to show the meeting material details and all participants clearly.











One click for quick location

Quickly capture the details. The remote control can help configure and trigger preset points, quickly focusing on the speaker at the conference.



120 dB True WDR

Crisp video imaging even in a room with strong backlight. Imaging is natural and clear.





With True WDR

Without True WDR





Product **Showcase**

Sound Cube Speakerphone			DS-UAC-S	\$1 (Wireess model)
Audio	8-microphone array	②		
Audio	Built-in high fidelity speaker			
Smart functions	Al noise reduction			
	Echo suppression	②		
	Anti-reverberation		•	
Ease of use	Mic mute / volume up / volume down		•	
	Answer & end call		•	
Flexible Connections	Wired connection (USB cable)	•		
	Wireless connection (Bluetooth & USB adapter)	•		
Accessories	Portable to go	Travel case × 1 USB cable (2 m) × 1 USB adapter × 1 Power adapter × 1	Warranty	2 years

Video Conferenc	ing Products	DS-UC8	DS-UVC-X12	iDS-UVC-X28
Video	High quality imaging	4K	1080p	4K
video	Wide-angle without distortion	91°	120°	118°
Audio	Built-in mic array	2-mic	4-mic array	8-mic array
	Built-in high fidelity speaker	0	8m sound amplification	15m sound amplification
	Intelligent noise reduction	O	Ø	•
	Echo suppression & Anti-reverberation	0	•	•
Smart functions	Smart auto framing	0	0	•
	Smart speaker tracking	0	0	•
Remote Control	Bluetooth remote control	•	Ø	Ø
Installation	Portable to go	Desk/Screen/Tripod mounting	Portable & removable Desk mounting	Desk/Wall mounting
Connection	USB cable, plug and play	•	Ø	Ø

PTZ Camera	DS-U102 (2MP)	Bracket Remote	Control Cable Adapter	
Lens	3.1 mm to 15.5 mm vari-focal lens, 5x optical zoom	Cable Length	4.5 m	
Auto Focus	•	Video Output	USB 2.0	
WDR	≥ 120 dB	Housing Material	Metal	
FOV	Horizontal: 84.9° to 20.8° Vertical: 92.8° to 23.8° Diagonal: 94° to 23.8°	Packing List	Camera (including lens cover), remote control, power adapter, cable,	
Angle Adjustment	Pan: -170° to 160° Tilt: -28° to 28°		bracket, screws, quick start guide	
Audio In	Built-in mic	Warranty	2 years	







· 1

DS-D5AS5/8S1L

package list by default.

6th-generation Intel® Core i5 7400 3.0 GHz

Note: wall-mounted bracket is included in the interactive display's

- Memory 8 GB, SSD 128 GBIntel Integrated Graphics, support H.265 and
- 4K resolution
- Interfaces: $6 \times \text{USB } 3.0, 1 \times \text{HDMI}, 1 \times \text{DP}$
- Support MSATA system disk quick start
- Standard Intel OPS interface
- Without Windows OS

DS-D5AS5/8S2L

- 8th-generation Intel® Core i5 9400 3.0 GHz
 Memory 8 GB, SSD 256 GB
- Intel Integrated Graphics 500, support H.265 and 4K resolution
- Interfaces: 4 x USB 3.0, 2 x USB2.0, 1 x HDMI, 1 x DP
- Support MSATA system disk quick start
- Built-in Win 10 OS

*Two-year warranty for products above.

Sound Cube Speakerphone for Conference

Loud & Clear, Every Word



Hikvision **Sound Cube Speakerphone**

Connect and collaborate easily with Hikvision's Sound Cube speakerphone for remote conferencing and enjoy natural, clear sound all around. Whether you are meeting at the office, a hotel room, or anywhere else, the Sound Cube brings your far-away team members close, anywhere in the world. This great speakerphone features an optimized stereo experience with true, immersive sound across any location. Everyone's voice and ideas are important – now, they can be heard clearly and completely.

Keep reading to learn more about Hikvision's exciting new Sound Cube for conferencing...



360° voice pick-up & play



Noise & echo reduction



8-microphone omnidirectional array



Wired & wireless connections




Compatible with most mainstream software





Are online meetings a regular part of your office? Do you have trouble hearing one another with those underpowered laptop speakers? When more than one person speaks, is it impossible to hear anything clearly? Online and remote conferences are regular parts of the workday for most professionals, so why use sound equipment that makes these important meetings useless?

Hikvision's Sound Cube changes all that.



Clear audio and stable sound all around



* Participants don't need to huddle round the speakerphone while speaking and listening.

Immersive 360° sound keeps the conversations flowing

The Sound Cube empowers communication and collaboration with up to 16 in-room participants and even more connecting remotely.

With 8 omnidirectional microphones, the 360-degree sound pick-up allows attendees to be included from every angle with no need to huddle round while speaking. And, those out of the office stay in sync with clear audio through a surround sound speaker – they sound like they are in the same room.

With a sleek design and minimalist aesthetics, the Sound Cube fits perfectly in your office, in the conference room, and anywhere you need it.



Keep everyone intimately involved

Ambient noise and reverberations get filtered out

Thanks to **Al-enabled noise reduction**, the clarity of human voices can be preserved even in challenging environments. Participants can be intimately involved when reverb and background noises – like air conditioning humming, keyboard tapping, and more – are intelligently filtered out.







Keyboard tapping



Knocking on the table



Al noise reduction

An intelligent algorithm identifies transient noises and filter them out.



Echo suppression & Anti-reverberation

Echo suppression decreases audio feedback, ensuring the speaker's true voice picked up.

Anti-reverberation helps the speakerphone to get human sound more directly, and diminish the sound artifacts due to reverberation caused by hard surfaces such as walls, ceilings, or conference room tables.








Audio feedback

Get connected, quickly and easily

Intuitive and easy to answer and adjust or mute volume

Hikvision Sound Cube makes it easy to adjust the volume up or down as needed, delivering crystal clear sound even at max volume level. Complex technical difficulties can ruin an otherwise simple and productive meeting. With the Sound Cube, a simple tap on the button quickly accesses meetings or ends calls instantly and seamlessly with an intuitive interface, making conferencing more productive and less stressful.



Designed for everything you need to do

Flexible connectivity options for smart devices and PCs

Hikvision's Sound Cube easily connects to laptops, desktops, and Bluetoothenabled smartphones or tablets. A simple plug and play setup gets your meetings started in seconds.







A big step up for your current setup

Compatible with most mainstream operating systems and software

The Sound Cube ensures high-quality audio and conferencing experience, integrating with most leading video conferencing platforms.



DingTalk





Pack up and go anytime, anywhere

Portable, compact and lightweight for easy travel

Compact and lightweight, the Sound Cube can be stowed in a protective travel case. Stay connected on the go, too, with 10 hours of battery life on a single charge.





10h



Application scenarios







Product show	/case	DS-UAC-S1V (Wired model)	DS-UAC-S1 (Wireess model)
A !	8-microphone array	Ø	•
Audio	Built-in high fidelity speaker	Ø	•
	Al noise reduction	Ø	•
Smart functions	Echo suppression	Ø	•
	Anti-reverberation	Ø	•
Face of the	Mic mute / volume up / volume down	•	•
Ease of use	Answer & end call	8	•
Flexible Connections	Wired connection (USB cable)	•	②
	Wireless connection (Bluetooth & USB adapter)	8	•
Accessories	Portable to go	Travel case × 1 USB cable (2 m) × 1	Travel case × 1 USB cable (2 m) × 1 USB adapter × 1 Power adapter × 1

Sound Cube Speakerphone for Conference





Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com











Distributed by





Hikvision Corporate Channel



DS-UAC-S1 Wireless Conference Speakerphone





- Adopts 8-mic array, picking up 360° clear sound with 5 meters range
- Adopts the HD speaker
- Supports steady and transient smart noise reduction, echo and squeal suppression, anti-reverberation to enhance speech quality and offer audio in high quality
- The built-in 7.2 V/3700 mAh lithium battery supports the device to last 10 hours after a full charge.
- Supports wireless connection through Bluetooth and a USB dongle
- Supports wired connection through a USB cable
- Driver-free design enables plug-and-play
- Compatible with leading online conferencing platform



Specification Microphone

Microphone		
Туре	MEMS	
Direction	360° Omni-directional	
Pickup Distance	In the radius up to 5 m	
Amount	8	
Frequency Response	100 Hz to 8 kHz	
Sensitivity	-38 dBV/Pa	
SNR	65 dB	
Sampling Rate	16 kHz/32 kHz/48 kHz	
Special Function/Algorithm	Beam forming	
3A Algorithm	AEC, ANS, AGC	
Speaker		
Rated Power	3 W	
Maximum Output Loudness	81 dBSPL @1 m, 1 kHz	
Speaker Range	In the radius up to 8 m	
Effective Bandwidth (-10 dB)	150 Hz to 15 kHz	
Total Harmonic Distortion (THD)	< 1% @ 1 kHz	
Functions		
Audio Function	Supports steady noise reduction, such as the sound of air conditioner and fan, and transient noise reduction, such as the sound of falling, claps and steps. Supports echo and squeal suppression, anti-reverberation to enhance speech quality and offer audio in high quality.	
LED Indicator	Ambient light Solid White: picking up sounds. Solid Red: mute. Green Light: speaker volume Bluetooth light Solid White: Only previously paired devices can connect to Bluetooth. Flashing Blue: Unpaired devices can be paired with Bluetooth. Solid Blue: The speakerphone connects to Bluetooth successfully Light remains off: Bluetooth is off. Power light Charging status: flashing white: charging; solid white: charging completed Non-charging status: solid red: battery ≤ 15%; solid yellow: 15% < battery ≤ 30%; solid white: battery > 30%	
Communication		
Communication Method	Bluetooth, USB Dongle, USB cable	
Wireless Communication Distance	10 m	
Wired Communication Distance	Cable length: 2 m	
Battery		
Capacity	7.2 V/3700 mAh	
	10 hours when the volume is turned on to 75%.	
Battery Life	The actual battery life depends on the usage environment and the battery health.	
Charging Temperature	0 °C to 45 °C (32 °F to 113 °F)	
Discharging Temperature	-20 °C to 60 °C (-4 °F to 160 °F)	
3 3 1 p 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	




Storage Temperature	0 °C to 35 °C (32 °F to 95 °F) (less than one year)	
Quick Charge Protocol	PD 3.0 Protocol	
Interface		
Cable	Cable in package: type-C-to-C interface (with a type-C-to-A adapter on the cable)	
Device Interface	USB Type C	
Compatibility		
	Windows XP/7/8/10/11	
System Requirement	Android 8.1 and above version	
System Requirement	Linux 4.14 and above version	
	macOS 10.12 and above version	
General		
Power	5 VDC ± 5%, max. 4.8 W	
Operating Condition	-10 °C to 45 °C (14 °F to 113 °F). Humidity 90% or less (non-condensing)	
Dimension	142.2 mm × 93.9 mm × 69.2 mm (5.60" × 3.70" × 2.72")	
Package Dimension	273 mm × 140 mm × 82 mm (10.75" × 5.51" × 3.23")	
Weight	Approx. 645 g (1.42 lb.)	
With Package Weight	Approx. 1190 g (2.62 lb.)	
Color	Silver gray	
Packing List	Speakerphone × 1	
	USB Dongle × 1	
	USB 3.0 cable (2 m) × 1	
	Quick Start Guide × 1	
	Storage case box × 1	

Available Model

DS-UAC-S1

Dimension





Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





(i) hikvisionhq